

**LD Lynden Door™**  
Open Your Future



RESIDENTIAL INTERIOR DOORS



We invite you to discover what **over 40 years** of wood door manufacturing experience can bring to your next project.

A 3rd generation, **family-owned company** located in the beautiful Pacific Northwest, Lynden Door, Inc. builds **residential, commercial and architectural** doors suited for nearly every type of application or market segment, no matter the scale, location or complexity. Our **customization capabilities** and **wide breadth of interior door** styles and designs will offer a solution for any of your decor and building needs.

Lynden Door has a unique history serving God through supporting the needs of its employees, their families and evangelical ministries in the community of Lynden, WA and beyond.

We trust that you will find our passion for crafting beautiful, durable, high quality doors and providing exceptional customer service is distinctly evident.

**We are genuinely grateful  
for your business and support.**

# SERVICES • OPTIONS



**FIRE DOOR** Any of our solid core interior panel doors are available with a 20-minute fire rating for your “House To Garage” application. Lynden Door also offers a full suite of neutral and positive pressure fire doors for 20, 45, 60 and 90-Minute rated applications.



**STC** Sound transmission control up to STC 46 suitable. Lynden Door offers sound rated doors to meet the demands of high-sound impact areas found in both residential communities and businesses near airports, high traffic areas and other noise pollution.



**SUSTAINABLE** With a history of commitment to environmental stewardship, Lynden Door is responsive to the green programs and materials in our marketplace. Meeting current government emissions standards, LEED-compliant options are available for virtually every door we make.



**GLAZING, VISION LITES, AND APPLIED MOLDING** Factory door prep and machining for in-house lite installations and applied moldings open opportunities for unique design choices such as interior French doors that match your solid core panel doors and our VanAir Ventilated Doors.



**CUSTOM ROUTING AND INLAY** Add design flair to wood veneer or painted hardboard with custom CNC routed lines and angles. Ask us about inlays.



**FACTORY FINISHING** Lynden Door offers a variety of factory finish options for all your design needs – clear and custom factory finishes and durable non-marring custom painting – all of which are produced under very strict quality controls and contain no VOC's (Volatile Organic Compounds).



**FACTORY MACHINING FOR HARDWARE** Lynden Door is fully equipped to carry out the most demanding and complex machining instructions and hardware preparations with automated precision.



Uniform Light  
Birch Veneer



Aberdeen  
Molded



White Oak  
StileLine



Alki  
FineLine


VISIT [LYNDENDOOR.COM](http://LYNDENDOOR.COM) FOR MORE DETAILS

# FINELINE

## Minimalistic. Contemporary.

FineLine doors by Lynden Door bring a fresh, stylish appearance to any interior space.

FineLine's grooved profile lines are positioned to bring linear dimension as a modernizing accent or simply to bring accessibility and structure to contemporary spaces.



ALKI  
6'8" | 7'0" | 8'0"

DENMAN  
6'8" | 7'0" | 8'0"  
Bifolds

ROBSON  
6'8" | 7'0" | 8'0"  
Bifolds

PARKROSE  
6'8" | 7'0" | 8'0"  
Bifolds

LAURELHURST  
6'8" | 7'0" | 8'0"

MONTLAKE  
6'8" | 7'0" | 8'0"  
Bifolds

All FineLine profiles are available in 6'8", 7'0" and 8'0" heights.

Alki, Denman and Robson 8'0" door designs feature 6 panels.


Bifolds are available in the Denman, Montlake, Parkrose and Robson designs. Match Alki doors with Robson or Denman bifolds and Laurelhurst with Parkrose bifolds.





## A modernizing solution to contemporary spaces.


- Smooth, routed MDF surface is ready for paint.
- Route lines are .20 inches wide, .045 inches (+/- .005) deep with a 30 degree bevel providing an easily paintable surface within the groove lines.



- Six standard profiles offered in 6'8" with optional 7'0" and 8'0" heights. Up to 4'0" wide, greater widths available special order.\*
- Paired doors and 4-door bifolds are available as special order.\*
- Profile lines positioned to accommodate most hardware locations.
- 1-3/8" and 1-3/4" thickness, hollow and solid core available.
- FineLine bifolds available in the following profiles: Robson, Denman, Parkrose, Montlake.
- Up to 90-minute fire rating available as Category A or B.\*

\*Contact your Lynden Door representative for more information.

FINE | LINE



# STILELINE™

The excitement of European styling with an opposing grain creates a bold, modern look at an attractive price.\* ♦

- Hollow or solid core
- Matching bifolds
- 1-3/8" and 1-3/4"
- Rated/non-rated options
- Custom options



AFRICAN MAHOGANY

Sketch Face  
Quarter Sawn



WHITE MAPLE

Sketch Face  
Plain Sliced



WHITE OAK

Sketch Face  
Rift Cut



BLACK WALNUT

Sketch Face  
Quarter Sawn



# REDISCOVERY

The Rediscovery Collection provides contemporary and custom expressions in vertical grain, horizontal grain or sketch face designs, species and finishes.\* ♦

- Hollow or solid core
- Matching bifolds
- 1-3/8" and 1-3/4"
- Rated/non-rated options
- Custom Options



COMPOSITION

Inlays  
Shown in Sapele/Maple

Inlays  
Shown in Maple/Sapele



TABLEAU

Horizontal Grain  
Shown in Walnut



RHYTMUS

Sketch Face  
Shown in Jatoba



## Pacific Collection and ClearLine Factory Finish

Lynden Door's Pacific Collection and ClearLine Factory Finish offers a state of the art VOC free, ultraviolet cured custom stain or clear finish.

The highly affordable finishes are available with wood veneer doors. See page 6 for more information.

\* Available with Pacific Collection and ClearLine Factory Finish.

♦ Horizontal grain pair matches are not available. Pleasing matches available by special order.

# WOOD VENEER

Lynden Door wood veneer doors provide the beauty and warmth of natural wood and one of a kind, unique wood grain patterns. All wood veneers are pre-graded to ensure defect-free surfaces. Ask your Lynden Door distributor for matching wood jambs and millwork.

- Hollow or solid core
- Matching bifolds
- 1-3/8" and 1-3/4"
- Rated/non-rated options
- Special order wood veneers available



MAHOGANY  
Rotary Cut



SAPELE  
Quarter Sliced



NATURAL BIRCH  
Rotary Cut



UNIFORM LIGHT BIRCH  
Rotary Cut



WHITE MAPLE  
Rotary Cut



RED OAK  
Plain Sliced

## Pacific Collection

The Pacific Collection is a carefully composed array of stain colors and clear coat applied to specific wood veneer by skilled technicians in a tightly controlled production environment. Due to their excellent stainability, we offer Pacific Collection stains with **Rotary Natural Birch, PS Red Oak** and **PS White Maple**. PS White Maple shown below.

- 100% colorfast, stains consists of organic earthen pigments
- Non-flammable, does not influence flame spread rating or smoke density
- Ultraviolet inhibitors keep the finish "water white" (clear)
- Protects and slows the natural aging of the wood
- Custom color matches available



CLEAR  
00



GOLDEN  
10



HOMESTEAD  
20



AUTUMN  
30



SIENA  
40



ESPRESSO  
50



MAGENTA  
60

Photographs are a close approximation of stain colors. Do not make final color selection based on this page. Contact Lynden Door for stain veneer samples to provide a closer representation of the finished appearance. Actual COLOR and GRAIN may vary from the EXAMPLES shown above.

# ELEMENTAL

ELEMENTAL door designs are characterized by clean, simple lines. Offering a modern take on traditional wood and molded doors, the 1- and 2-Panel door designs allow room for interpretation in any architectural and interior design environment.

- Smooth, bevel grooved MDF surface, ready for paint
- 6" stile width easily accommodates door hardware (6" stile width on doors wider than 2'0" and up to 4'0", 5" stile width on doors 2'0" and under)
- 10" bottom rail meets most disability access requirements
- Up to 90-minute fire rating available.\* 6'8", 7'0" and 8'0" heights
- 1-3/8" and 1-3/4" thickness, hollow and solid core
- Matching bifold doors available.\*

\*Contact your Lynden Door representative for more information

## ELEMENTAL Collection



ELEMENTAL  
1-PANEL



ELEMENTAL  
2-PANEL




ELEMENTAL doors are well suited for the VanAir Ventilated door construction, opening opportunities to contemporary door design for all your interior door openings.

*VanAir™  
Ventilated Door*

[lyndendoor.com/vanair](http://lyndendoor.com/vanair)



ELEMENTAL  
VANAIR 1-PANEL



ELEMENTAL  
VANAIR 2-PANEL



ANTIMICROBIAL

# PERFORMANCE VENEER

Lynden Door introduces the innovative New Leaf™ Performance Veneer Door Collection; bringing the warmth of natural wood and advanced antimicrobial surface protection treatments to your home through pioneering modern technology.

## THE NATURE OF INNOVATION

The artist behind our New Leaf Performance Veneer Door Collection is nature itself. Each performance veneered surface is an exact replica of an authentic natural wood surface, hand-selected for its perfect embodiment of the character and grain of that wood species and cut.

The innovation is possible through advanced reproduction technologies and a revolutionary protective topcoat that refracts light, allowing the depth and clarity of the wood grain to shine through.


Beautifully predictable veneered surfaces set a new standard for enduring natural style and remain consistent over time.

- New Leaf Antimicrobial Protection inhibits the growth of stain and odor causing bacteria, mold, and mildew through proven silver ion technology
- Offered in 6'8", 7'0", 8'0" heights and up to 4'0" in width
- Two door and four door bifolds available
- Available as hollow or solid core, 1-3/8" and 20-minute rated/non-rated 1-3/4"
- Additional wood species and stains available, color options include **Natural, Toffee, Merlot, Stone** and **Slate**
- Pre-coat polyurethane finishes available in **Matte, Semi-gloss** and **Matte Grain Texture**.

The **New Leaf Matte Grain** finish adds natural luster, warmth, and character that enhance surface beauty for a rich, sensory experience.



White Oak Quarter Sawn Natural  
MATTE GRAIN TEXTURE





**ANTIMICROBIAL**  
inhibits growth  
of bacteria  
through silver ion  
technology



**3X MORE\***  
fade & color  
change resistant



**2X MORE\***  
water  
resistant



**16X MORE\***  
crack  
resistant



**14X MORE\***  
impact  
resistant



**4X MORE\***  
wear  
resistant



**8X MORE\***  
dent  
resistant



**4X MORE\***  
scratch  
resistant

\*Results of Performance Veneer vs. traditional veneer with UV clear finish using standard industry testing procedures. Results above are "up to" performance statements and may vary based on individual manufacturer's topcoat formula.

**BIRCH**  
Quarter Sawn



NATURAL  
V013



TOFFEE  
V011



STONE  
V012



SLATE  
V015

**BLACK WALNUT**  
Plain Sawn



NATURAL  
V022

**CHERRY**  
Plain Sawn



NATURAL  
V003



STONE  
V002

**MAHOGANY**  
Plain Sawn



NATURAL  
V026

**MAPLE**  
Rift Cut



NATURAL  
V018

**ROSEWOOD**  
Quarter Sawn



NATURAL  
V037

**WHITE OAK**  
Plain Sawn



NATURAL  
V008

**WHITE OAK**  
Quarter Sawn



NATURAL  
V033



MERLOT  
V034



STONE  
V032



SLATE  
V035

# PREFINISHED HARDBOARD

Durable and stable.

Lynden Door Prefinished Hardboard doors arrive ready to install with a factory applied, uniform finish that is durable and low maintenance. These doors will look beautiful for many years to come.

- Hollow or solid core
- Smooth, textured, embossed
- Bifolds
- 1-3/8" and 1-3/4"
- Rated/non-rated options



RIFT CUT  
SLATE  
Textured



RIFT CUT  
MEDIUM WALNUT  
Textured



RIFT CUT  
COFFEE  
Textured



RIFT CUT  
TEAK  
Textured





## Easy maintenance.

Professionally painted uniform finish is UV cured and will keep doors attractive and easy to maintain. Lynden Door distributors and dealers can provide matching frames and trim for a completely integrated look.

Offered in a variety of finishes covering the spectrum from light to dark and traditional to contemporary.

Primed Hardboard with a smooth or embossed surface is also available.



WESTERN HEMLOCK  
Smooth



COASTAL HEMLOCK  
Smooth



SPICED ASH  
Smooth



ALBANY MAPLE  
Smooth



ALPINE OAK  
Smooth



DRIFTWOOD  
Smooth



STRAND OAK  
Smooth



NEWPORT CHERRY  
Smooth



CRYSTAL WHITE  
Embossed



BEAUPORT WALNUT  
Embossed



MENDOCINO OAK  
Embossed



CHESAPEAKE  
Embossed



WESTERN OAK  
Embossed



LIGHT GOLDEN OAK  
Embossed



CANAXEL GOLDEN OAK  
Deep Embossed

Photographs are a close approximation of stain colors and may vary from actual products. Contact Lynden Door for prefinished hardboard color samples.

# MOLDED HIGH DENSITY FIBERBOARD

Uniquely Versatile.

Stable Performance. No cracking or panel separation.

Superior Value. Compelling design and customizing opportunity at a significant value versus solid wood doors. All Lynden Door molded panels are factory primed, pre-graded and acclimated before fabrication to produce top quality, stable surfaces. Molded door panels offer an ideal substrate for finish painting.

- Molded high density fiberboard facings resist joint separation
- Hollow or solid core
- Matching bifolds
- 1-3/8" and 1-3/4" in 6'8", 7'0" & 8'0" (See sizing guide for more information.)
- STC and fire rated options



MERCER  
Smooth  
Flat Panel



WHITMAN  
Smooth  
Flat Panel




ABERDEEN  
Smooth  
Flat Panel



YARROW  
Smooth  
Flat Panel



WINTHROP  
Smooth  
Flat Panel





*Molded doors have become a major influence in the residential and light commercial built environment.*

With Lynden Door's extensive collection of smooth and textured molded profiles, a design is made to suit virtually every taste and decor. Offered in both raised and flat panel profiles, molded panel doors are an attractive fit for both traditional and contemporary spaces with flexible construction in hollow or solid core and rated/non-rated options.



**KINGSTON**  
Smooth  
Raised Panel



**ROSARIO**  
Smooth  
Raised Panel



**LOPEZ**  
Smooth - Grooved  
Raised Panel



**SAMISH**  
Smooth  
Raised Panel



**BENTON**  
Smooth  
Raised Panel



**COLUMBIA**  
Smooth  
Raised Panel



**BLAKELY**  
Textured  
Raised Panel



**BONNEVILLE**  
Textured  
Raised Panel

# STOCK SIZING GUIDE

## MOLDED DOORS

			PASSAGE DOOR WIDTHS													BIFOLD DOOR UNIT WIDTHS										
																2-DOOR UNITS				4-DOOR UNITS						
6'8" Height			1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	1'6"	2'0"	2'4"	2'6"	2'8"	3'0"	4'0"	5'0"	5'4"	6'0"
MERCER	FP	S		2	3	✓	✓	✓	3	✓	✓	✓	✓	✓	✓	4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WHITMAN	FP	S		2	3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
ABERDEEN	FP	S				3	✓	✓	✓	✓	✓	✓	✓	✓	✓	4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
YARROW	FP	S			2	3	✓	✓	3	✓	✓	✓	✓	✓	✓	4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WINTHROP	FP	S			2	3	✓	✓	3	✓	✓	✓	✓	✓	✓	4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
KINGSTON	RP	S		2	3	✓	✓	✓	3	✓	✓	✓	✓	✓	✓	4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
ROSARIO	RP	S		2	3	✓	✓	✓	3	✓	✓	✓	✓	✓	✓	4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
LOPEZ	RP	S			2	3	✓	✓	✓	✓	✓	✓	✓	✓	✓	4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SAMISH	RP	S				3	✓	✓	3	✓	✓	✓	✓	✓	✓	4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
BENTON	RP	S				2	✓	✓	3	✓	✓	✓	✓	✓	✓	4	✓	✓	✓	1	✓	✓	✓	1	✓	
COLUMBIA	RP	S				✓	✓	✓	✓	3	✓	✓	✓	✓	✓	4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
BLAKELY	RP	T				✓	✓	✓	3	✓	✓	✓	✓	✓	✓	4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
BONNEVILLE	RP	T				✓	✓	✓	✓	3	✓	✓	✓	✓	✓	4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
7'0" Height			1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	1'6"	2'0"	2'4"	2'6"	2'8"	3'0"	4'0"	5'0"	5'4"	6'0"
MERCER	FP	S		2	3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	4	1	1	1	1	1	1	1	1	1	1
WHITMAN	FP	S				3	✓	✓	✓	✓	✓	✓	✓	✓	✓	4	1	1	1	1	1	1	1	1	1	1
ABERDEEN	FP	S				3	✓	✓	✓	✓	✓	✓	✓	✓	✓	4	1	1	1	1	1	1	1	1	1	1
YARROW	FP	S					1	1	3	✓	✓	✓	✓	✓	✓	4	1	1	1	1	1	1	1	1	1	1
WINTHROP	FP	S					1	1	1	1	1	✓	✓	✓	✓	4	1	1	1	1	1	1	1	1	1	1
KINGSTON	RP	S				1	3	✓	3	✓	✓	✓	✓	✓	✓	4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
ROSARIO	RP	S					3	✓	3	✓	✓	✓	✓	✓	✓	4	1	1	1	1	1	1	1	1	1	1
LOPEZ	RP	S			1	1	1	1	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1
SAMISH	RP	S					1	1	1	1	1	✓	✓	✓	✓	4	1	1	1	1	1	1	1	1	1	1
COLUMBIA	RP	S					1	1	3	✓	✓	✓	✓	✓	✓	4	1	1	✓	1	✓	1	✓	1	✓	✓
BONNEVILLE	RP	T							1	1	1	1	1	1	1	4	1	1	1	1	✓	1	1	1	✓	
8'0" Height			1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	1'6"	2'0"	2'4"	2'6"	2'8"	3'0"	4'0"	5'0"	5'4"	6'0"
MERCER	FP	S		2	3	✓	✓	✓	3	✓	3	✓	✓	✓	✓	4	1	1	1	1	1	1	1	1	1	1
WHITMAN	FP	S			2	3	✓	2	3	✓	3	✓	✓	✓	✓	4	1	1	1	1	1	1	1	1	1	1
ABERDEEN	FP	S			2	3	✓	2	3	✓	3	✓	✓	✓	✓	4	1	1	1	1	1	1	1	1	1	1
WINTHROP	FP	S				3	✓	✓	3	✓	✓	✓	✓	✓	✓	4	1	1	1	1	1	1	1	1	1	1
KINGSTON	RP	S					3	✓	3	✓	✓	✓	✓	✓	✓	4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
ROSARIO	RP	S					3	✓	3	✓	✓	✓	✓	✓	✓	4	1	1	1	1	1	1	1	1	1	1
LOPEZ	RP	S			2	3	✓	✓	✓	✓	✓	✓	✓	✓	✓	4	1	1	1	1	1	1	1	1	1	1
SAMISH	RP	S				3	✓	✓	3	✓	3	✓	✓	✓	✓	4	1	1	1	1	1	1	1	1	1	1
BENTON	RP	S			2	3	✓	✓	3	✓	✓	✓	✓	✓	✓	4	1	1	1	1	1	1	1	1	1	1
COLUMBIA	RP	S				1	1	1	1	3	✓	3	✓	✓	3	✓	4	1	1	1	1	1	1	1	1	1
BONNEVILLE	RP	T				1	1	1	1	3	✓	3	✓	✓	3	✓	4	✓	✓	✓	✓	✓	✓	✓	✓	✓

FP - Flat Panel      S - Smooth Surface      ✓ Available – stock item      1. Available – longer lead times may apply\*      3. Available – stock item with 3" face stile\*  
 RP - Raised Panel      T - Textured Surface      2. Available – stock item with 2" face stile\*      4. Available – call to verify dimensions & availability

\*Note: Door face stiles 4-1/8" or smaller do not accommodate a 2-3/4" back-set preparation.  
 Please consult our Lynden Door Molded Door line drawings at [lyndendoor.com/product-sheets](http://lyndendoor.com/product-sheets) or contact your Lynden Door representative for more information.

**Door sizing is divided into two basic categories:** Molded Panel and Flush doors.

Molded panel doors are available in a standard range of sizes, based on our ability to configure the molded panels – please consult the chart.

**Flush doors STANDARD RANGE:** 1'0" to 4'0" in width, up to 8'0" in height. Custom sizing is available, however, some restrictions may apply. Flush doors include: wood veneer; StileLine® sketchface veneer and the ReDiscovery Collection; New Leaf™ Performance Veneers; prefinished hardboard; and high pressure decorative laminates (not shown in this brochure). Flush doors are not constrained by panel lay-out like molded panel doors and are available in a great variety of sizes.

**Sizing Notes:** Lynden Door wholesale distributors add significant value and convenience by maintaining large inventories of standard size doors for competitive pricing and fast delivery. Custom sizing is a common service at Lynden Door and we thrive on accommodating your special needs at an affordable price. However some restrictions may apply.

Lynden Door fabricates **Standard** height doors with wider top and bottom rails: 2" – 2-1/4" after trim. This allows for site trimming of doors up to 1" on each end without compromising the warranty.

**Blended Offering:** Lynden Door's unique product portfolio offers residential, architectural (LD), and commercial (CD) doors all made in one facility. This blended offering allows us to meet the needs of even the most diverse specification as we can draw from the strengths of all three door series.



# VanAir™ Ventilated Door

## Comfort and Well-Being.

THE VANAIR VENTILATED DOOR challenges the traditionally held views of what a door is supposed to do.

VanAir Ventilated Doors offer air flow pathways promoting comfort and well-being in your home and reduces the need for vents, grilles, dropped ceilings and ducting which can interfere with surrounding design elements and aesthetics.

- Create comfortable room environments by alleviating temperature, humidity and pressure build-up
- Reduce carbon dioxide build-up for healthier spaces
- Keep laundry appliances and bathroom exhaust fans running efficiently
- Improve ventilation without the use of unsightly vents and grilles
- 1-Year Limited Interior Warranty
- Available with StileLine, ReDiscovery, FineLine, wood veneers, Elemental, prefinished and primed hardboard door styles
- 1-3/8" and 1-3/4" Non-rated



**AIRFLOW PATHWAY**

Air flows in from one side, through the door core and out the opposing side.



**SOUND PRIVACY**

Lab-tested baffling and resonators are integrated into the door core to block high and low frequency sound.





2077 Main Street  
Lynden, WA 98264

**PHONE:** 800.631.DOOR (3667)  
360.354.5676

**FAX:** 360.354.3738

[info@lyndendoor.com](mailto:info@lyndendoor.com)

[lyndendoor.com](http://lyndendoor.com)

